KRISHNARAJ SAGAR DIVISION.

Notice, dated 25th February 1939.

As the present Hotel Building in Brindavan, Krishnaraj Sagar, has to be dismantled to make way for the new Building under construction, the Hotel will be temporarily located in the *First Class Travellers' Bungalow* on the ridge near the Entrance Pavilion at South end of Dam from Monday, the 6th March 1939.

2. Light refreshments with drinks will be continued to be served as before in Brindavan Gardens on week end and other illumination days.

3. From the 1st March 1939, the Travellers' Bungalow will be closed to the Public as such.

G. SESHAGIRI RAO,
Executive Engineer.

HASSAN DIVISION.

Abstract Notification dated 9th February 1939.

The attention of the public is invited to the Notification in the *Mysore Gazette*, dated 16th February 1939, *vide* pages 316-317, Part VI, calling for tenders for the restoration of a portion of Navile Tank, Channarayapatna Taluk and the last date for the receipt of the tenders is the 4th March 1939.

Abstract Notification dated 17th February 1939.

The attention of the public is invited to the Gazette Notification, dated the 17th February 1939, *vide* pages 352-354, Part VI of the *Mysore Gazette*, dated 23rd February 1939, calling for tenders for restoring Doddagaddavalli Hirekere, Salagame Hobli, Hassan Taluk and the last date for the receipt of the tender is 13th March 1939.

Notification dated 22nd February 1939.

Sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, Hassan, up to 20th March 1939, for restoring Kenkere Oorumundinakere, Arsikere, Taluk.

2. Tenders in the prescribed form obtainable in the Office of the Executive Engineer, Hassan Division, Hassan, should be addressed to the Executive Engineer, Hassan Division, Hassan, and should be superscribed as "Tender for restoring Kenkere Orumundinakere, Arsikere Taluk." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 610 only in cash as earnest money. The earnest money of the successful tenderer will be retained as cash security for the due fulfilment of the contract. Cash amount will not carry any interest. In case of the acceptance of the tender, an addition of the five per cent of the estimated amount as security deposit should be paid at the time of executing the agreement in the Public Works Department.

4. The tenders will be opened in the presence of such tenderers who wish to be present on the date of opening. The final acceptance of the tender will rest with the Executive Engineer, Hassan Division who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Office of the Executive Engineer in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the Office of the Executive Engineer, Hassan Division, Hassan, on all working days, between 11 A.M. and 5 P.M.

8. Specific rates should be given, for each item in the schedule and the rates should be in rupees, annas and pies and expressed in words and figures.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents in the nomenclature of the sanctioned sub-heads will be recognised, and if corrections are made, the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department current schedule of rates.

13. On the event of the tender being submitted by a firm, it must be signed separately and severally by each member therefor or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Executive Engineer, Hassan Division, Hassan, and approved by the Superintending Engineer, shall be final and legally binding on the tenderer.

15. The quantities as estimated are only approximate and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer, or his representative. The tendered rates will hold good for any quantity whether higher or lower than those estimated for.

16. The work should be completed as per departmental specifications for different items and handed over to Public Works Department by the end of June 1940, failing which the Executive Engineer may, at his discretion, levy a penalty up to Rs. 500 which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quantity of work, etc., the decision of the Executive Engineer, shall be final and legally binding.

18. The earnest money for rejected tenders will be returned on surrender of the receipts originally granted, along with an application to the Executive Engineer, Hassan Division, Hassan.

19. No claims for damages for delays caused by officers of the department in the execution of work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will be, however, considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools, plant and machinery that will be supplied by the department in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer, and the tenderer will pay the hire, etc., on machinery at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgements of the vouchers in each transaction.

22. The contractors should arrange for the payment of royalty and tolls.

Abstract estimate for restoring Kenkere Oorumundinakere (Major tank), Arsikere Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
	Bund.		Rs. a. p.		Rs.
1	Earthwork to bund with watering, tamping lead, etc., complete	C.yd.	0 4 0	5,640	
2	Turfing the slopes front and rear with garike or mani turf with lead	Sq.yd.	0 1 0	6,280	
3	Rough stone revetment (new) including jelly packing and wedging with lead	C.yd.	2 0 0	2,338	
4	Providing and fixing new grade stones and Index stones with figuring, painting, etc., complete	Each	2 0 0	55	
5	Old rough stone work with new jelly packing	C.yd.	1 0 0	596	
6	Register No. and Date stone complete	Each	5 0 0	5	
7	Providing and fixing B. M. stones complete	Each	3 8 0	2	
	Left Waste Weir.				
1	Earthwork excavation	C.yd.	0 3 0	199	
2	Jelly concrete in surki mortar	C.ft.	0 4 6	928	
3	Burnt brick in composite mortar	,,	0 5 6	1,888	
4	Burnt stone slabs dressed and fixed 6" thick	S.ft.	0 10 0	412	
5	New rough stone work with jelly packing	C.yd.	2 0 0	326	
6	Plastering with composite mortar	Sqr.	5 0 0	5·00	
7	Clearing draft (as per actuals)	C.yd.	L. S.	...	50
	Right Waste Weir.				
1	Earthwork excavation	C.yd.	0 3 0	281	
2	Jelly concrete in surki mortar	C.ft.	0 4 6	1,048	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
3	Burnt brick in composite mortar	C.ft.	0 5 6	2,547	
4	Burnt stone slabs 6" thick dressed and fixed ..	S.ft.	0 10 0	464	
5	Rough stone work new with jelly packing and wedging	C.yd.	2 0 0	722	
6	Plastering with composite mortar	Sqr.	5 0 0	10.00	
7	Clearing draft (as per actuals)	C.yd.	L. S.	..	55
8	Jelly filling	,,	1 0 0	33	

Notification dated 25th February 1939.

1. Sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, Hassan, up to 25th March 1939 till 3 P.M., for constructing Local Fund Dispensary at Rudrapatna, Arkalgud Taluk.

2. Tenders in the prescribed form obtainable in the Office of the Executive Engineer, Hassan Division, Hassan, should be addressed to the Executive Engineer, Hassan Division, Hassan, and should be superscribed as "Tender for constructing Local Fund Dispensary at Rudraptna, Arkalgud Taluk." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 280 only in cash as earnest money. The earnest money of the successful tenderer will be retained as cash security for the due fulfilment of the contract (cash amount will not carry any interest). In case of the acceptance of the tender, an addition of the 5 per cent of the estimated amount as security deposit should be paid at the time of executing the agreement in the Public Works Department.

4. The tenders will be opened in the presence of such tenderers who wish to be present on the date of opening. The final acceptance of the tender will rest with the Superintending Engineer, Shimoga circle, who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Office of the Executive Engineer in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form, for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the Office of the Executive Engineer, Hassan Division, Hassan, on all working days between 11 A.M. and 5 P.M.

8. Specific rates should be given for each item in the schedule and the rates should be in rupees, annas and pies and expressed in words and figures.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents, in the nomenclature of the sanctioned sub-heads will be recognised and if corrections are made, the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department current schedule of rates.

13. On the event of the tender being submitted by a firm, it must be signed separately and severally by each member therefor or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Executive Engineer, Hassan Division, Hassan, and approved by the Superintending Engineer shall be final and legally binding on the tenderer.

15. The quantities as estimated are only approximate and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those estimated for.

16. The work should be completed as per departmental specifications for different items and handed over to the Public Works Department by the end of December 1939, failing which the Executive Engineer may, at his discretion, levy a penalty up to Rs. 500 which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind not specially provided for in the agreement or of rates, penalties, measurements, quantity of work, etc., the decision of the Superintending Engineer shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on surrender of the receipts originally granted, along with an application to the Executive Engineer, Hassan Division, Hassan.

19. No claims for damages for delays caused by officers of the department in the execution of work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools, plant and machinery that will be supplied by the department in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer and the tenderer will pay the hire, etc., on machinery at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgements of the vouchers in each transaction.

22. The contractors should arrange for the payment of royalty and tolls.

Abstract estimate for constructing Local Fund Dispensary at Rudrapatna, Arkalgud Taluk.

No.	Items of work	Unit	Rate	Quantity	Cost
	Dispensary.		Rs. a. p.		Rs.
1	Earthwork excavation for foundation and filling in basement	C.yd.	0 3 0	56	
2	Broken stone jelly concrete in lime mortar with tamping in layers not more than 4″ thick	C.ft.	0 3 6	418	
3	Size stone in mortar with bond stones 6′ apart for foundation and basement	C.ft.	0 4 6	1,405	
5	Burnt brick in lime mortar (superstructure)	C.ft.	0 3 9	1,933	
5	Cement concrete slab below roof level	,,	0 12 0	97	
6	Burnt stone slabs 6″ thick dressed and fixed in mortar for steps, cills and lintels of doors and windows	Sq.ft.	0 7 0	435	
7	Providing and fixing teakwood doors with frames 3″×5″ without bottom cills ⅓ panelled and ⅔ glazed with 1½″ thick shutters frame Acme brass fittings rain door locks with perforated ventilators at top, handles, wood oiling, etc., complete including cutting grooves in cill slab	Sq.ft.	1 12 0	231	
8	Providing and fixing teakwood windows with 3″×5″ frames 1¼″ thick panelled shutters outside opening in 4 halves with glazed ventilators at top including iron bars ¾″ dia. 4″ apart with brass hinges, wood oiling, etc., complete	,,	2 0 0	141	
9	Providing and fixing glazed ventilators as per design including wood oiling, etc.	S.ft.	1 10 0	21	
10	Providing and fixing T. W. shelves with shutters of 1¼″ thick fully panelled with knobs (brass) Acme fittings, hooks, etc., wood oiling and 4 T. W. cross planks of 1½″ thick each	S.ft.	1 10 0	72	
11	Providing and fixing reinforced cement concrete ventilators 1½″ thick and 1′—4″ square and fixed 1″ from inside face of wall	,,	1 0 0	33	
12	Providing and fixing R. C. C. circular pillars 10′ high 14″ dia. at bottom and 11″ dia. at top as per design	Each	20 0 0	8	
13	Providing and fixing R. S. girders for verandah with 2 coats of red paint and fixed in cement mortar with boxing double	Cwt.	12 0 0	9·4	
14	Reinforced cement concrete 1 : 2 : 4 beam with necessary reinforcement with plastering, etc., complete	C.ft.	2 4 0	64·4	
15	Constructing 4½″ thick brick exmet wall (partition) in cement mortar with plastering, etc., complete	S.ft.	0 8 0	131	
16	Roofing with reinforced cement concrete 1 : 2 : 4 with necessary reinforcement 6″ thick to take a super load of 80 lbs. with expansion joint and laid to proper slope with 3″ kuppies concrete and water-proof course and ceiling with fine ground mortar, etc., complete	Sqr.	70 0 0	14.25	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
17	Flooring with cement concrete 1 : 4 : 4, 1½″ thick on 4″ lime concrete finished over with red coloured cement ½″ thick and with rounding of corners, etc.	Sqr.	20 0 0	10.84	
18	Providing R. C. C. chajje in front of verandah and above doors and windows	S.ft.	0 12 0	495	
19	Plastering with chunam mortar	Sqr.	3 8 0	41·87	
20	White and colour washing 2 coats	Sqr.	0 4 6	41·87	
21	Providing parapet alround 1′ high as per design with plastering, etc., complete	R.ft.	1 0 0	203	
22	R. C. C. perforated panels	S.ft.	1 0 0	33	
23	Providing counter arrangements to delivery window of compounding room	L. S.	..	..	10
24	Providing sink in bath and compounding rooms and dressing rooms	Each	7 8 0	3	
25	Fixing Inscription stones	L. S.	..	..	35
26	Providing ornamental hand railing in brick in mortar as per design	R.ft.	1 8 0	39	
27	Cement pointing to basement	Sqr.	4 0 0	2.94	
28	Providing water spouts	L. S.	..	..	10
	Kitchen.				
1	Earthwork excavation for foundation and filling in basement	C.yd.	0 3 0	10	
2	Stone jelly concrete in lime mortar	C.ft.	0 3 6	83	
3	Size stone in clay for foundation	,,	0 3 6	223	
4	Burnt brick in clay for superstructure	,,	0 3 0	437	
5	Burnt stone slabs 6″ thick 2 lines dressed and fixed in mortar	S.ft.	0 7 0	27	
6	Teakwood door wrought and put up with fully panelled shutters with wood oiling, etc., complete	S.ft.	1 6 0	18	
7	Teakwood windows wrought and put up with panelled shutters, iron bars and iron fittings, complete	S.ft.	1 8 0	9	
8	Teakwood wrought and put up	C.ft.	4 0 0	14⅓	
9	Mangalore tiled roofing with teak reepers, etc., complete	Sqr.	22 0 0	2.75	
10	Chunam plastering	,,	3 8 0	9.16	
11	White and colour washing 2 coats	,,	0 4 6	9.16	
12	Burnt stone slabs 3″ thick dressed and fixed on sand bed 3″	,,	30 0 0	1.00	
13	Mortar band over roof	R.ft.	0 2 0	36	
14	Cement pointing to basement	L. S.	..	..	3
15	Constructing oven	,,	..	..	4
	Constructing Mortuary.				
1	Earthwork excavation for foundation and filling in basement	C.yd.	0 3 0	1	
2	Cement concrete 1 : 5 : 10	C.ft.	0 8 0	18	
3	R. C. C. pillars 1 : 2 : 4 with necessary reinforcement	,,	1 8 0	36	
4	R. C. C. slab 2″ thick with mesh reinforcement ..	S.ft.	0 6 0	353	
5	Teakwood door with fully panelled shutter with wood oiling, etc.	,,	1 6 0	28	
6	Teakwood windows do	,,	1 8 0	48	
7	Teakwood ventilators with panelled shutters, wood oiling, etc.	,,	1 8 0	4	
8	Teakwood wrought and put up with wood oiling ..	C.ft.	4 0 0	13⅚	
9	Mangalore tiled roofing with teak reepers, etc., complete	Sqr.	22 0 0	1.00	
10	Flooring with cement concrete 1¼″ thick on a bed of 3″ concrete	,,	20 0 0	1.00	
11	Constructing platform 6½′×3½′× 6″ cement concrete 1 : 2 : 4 on four pillars of R. C. C. 4″ square	C.ft.	1 8 0	12	

No.	Items of work	Unit	Rate	Quantity	Cost
	Constructing R. C. C. latrine.		Rs. a. p.		Rs.
1	Earthwork excavation	C.yd.	0 3 0	2	
2	Cement concrete 1 : 5 : 10	C.ft.	0 8 0	1	
3	R. C. C. pillars 1 : 2 : 4	,,	1 8 0	6	
4	R. C. C. slabs 2" thick precast with mesh reinforcement between pillars	S.ft.	0 6 0	114	
5	Cement concrete coping	R.ft.	0 8 0	18	
6	Teakwood door wrought and put up with battened shutter with varnish, etc., complete ..	S.ft.	1 4 0	24	
7	Providing platform with drain, etc., complete ..	L. S.		..	10

P. SUBBA RAO,
Executive Engineer.

SHIMOGA DIVISION.

Abstract Notification dated 14th February 1939.

The attention of the public is drawn to the notification advertised in the *Mysore Gazette*, pages 121 to 123, Part VI, dated 19th January 1939, for constructing a Town Hall at Sorab, Shimoga District. The last date for receiving tenders has been extended till 4th of March 1939.

Abstract Notification dated 14th February 1939.

The attention of the public is drawn to the notification advertised in page Nos. 355-357, Part VI of the *Mysore Gazette*, dated 23rd February 1939, for "Constructing compound wall and repairs to Sri Rameswaraswamy Temple and other allied temples at Tirthahalli." The last date for receiving tenders is 12th of March 1939.

M. K. RAJAM IYENGAR,
Executive Engineer.

CHITALDRUG DIVISION.

Abstract Notification dated 18th February 1939.

Attention of the public is hereby invited to the detailed notification, dated 18th February 1939, calling for tenders for constructing a tunnel on Bharmagiri-Hosadurga Road, published in Part VI, Pages 357-359, dated 23rd February 1939 of the *Mysore Gazette*. The last date for receiving tenders is 2 P.M. on 3rd March 1939.

Abstract Notification dated 18th February 1939.

Attention of the public is hereby invited to the detailed notification, dated 18th February 1939, calling for tenders for constructing a High Level Causeway on Davangere-Sulekere Road, published in Part VI, pages 359-361, dated 23rd February 1939 of the *Mysore Gazette*. The last date of receiving tenders is 2 P.M. on 3rd March 1939.

Notification dated 23rd February 1939.

1. Sealed tenders will be received at the Office of the Executive Engineer, Chitaldrug Division, up to 2 P.M. on 20th March 1939 for filling the breach of Bagur Navakankere Reg. No. 87, Hosadurga Taluk.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Chitaldrug Division, should be addressed to the Executive Engineer, Chitaldrug Division, in a sealed cover and superscribed as tender for the above work. The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a deposit of Rs. 600 (in words) Rupees six hundred only in cash or Government Promissory Notes or Mysore Government Bonds, duly endorsed at face value or market value, whichever is less, as earnest money. The earnest money of the successful tenderer will be retained as security deposit for the due fulfilment of the contract. Such a deposit in cash will not carry any interest.